

Aker Arctic

## New Arctic Vessel and Icebreaking Technologies

Mikko Niini, President  
Aker Arctic Technology Inc  
International Oil & Ice Workshop  
Anchorage 10.10.2007

Preferred for Innovation





Sometimes things are tough

Aker Arctic



4-Nov-07  
© 2006 Aker Yards

Slide 4

## The challenge: harsh environments

Aker Arctic



Photos A. Keinonen, AKAC

aker  
yards.

Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 5

## Winter is cold and dark

Aker Arctic



4-Nov-07


© 2006 Aker Yards

Slide 6




## Baltic Sea- a freezing sea

Aker Arctic



## Ice expertise background in the 50 years of Finnish development of icebreakers

Aker Arctic





Idea for ice model tests raised by Exxon along the T/T "Manhattan" experimental voyages to North Slope

Aker Arctic





4-Nov-07

© 2006 Aker Yards

Slide 9

35 years' ice modelling experience

Aker Arctic



4-Nov-07

© 2006 Aker Yards

Slide 10

We built the first polar icebreakers and opened the Northern Sea Route for year-round traffic in 1982

Aker Arctic



19 Arctic dry cargo ships

25 polar tankers

9 Polar icebreakers

2 Nuclear icebreakers

14 River icebreakers



USCGC "Healy"



NIB "Taymyr & Vaygach"



River IB's in Siberia



4-Nov-07

© 2006 Aker Yards

Slide 11

Our Arctic experience includes design and construction of nuclear icebreakers

Aker Arctic



4-Nov-07

© 2006 Aker Yards

Slide 12



## Multipurpose Icebreakers "Fennica", "Nordica" and "Botnica" from Aker Arctic



Nov-07

© 2006 Aker Yards

Slide 13

New facility constructed in 2005






## New model testing facility opened in 2006

Aker Arctic

- § A new third generation test facility erected in 2005,
- § investment 10,3 Mill. €
- § Beam increased to allow larger structures to be tested
- § Glass bottom to improve observation
- § Latest technology for freezing process
- § Latest technology for data recording
- § Best in the world



Nov-07

© 2006 Aker Yards

Slide 15

## Aker Arctic Technology Inc – the global full service ice technology partner

Aker Arctic

- While restructuring Aker Yards operations, ice-related activity was separated from yards to an independent business unit, as a "center of excellence", to work globally
- Aker Arctic established and registered in 2005
- Equity 8 Mill. EUR
- AARC shareholders:
 

Aker Yards	62,5 %
ABB	12,5 %
Aker Kvaerner	12,5 %
Wärtsilä	12,5 %
- Board:
  - Oddvar Slettevold, chairman
  - Magne Håberg, Mikko Niini (AY)
  - Risto Neuvo (AKET), Lasse Mäkelin (ABB Marine), Jari Salo (Wärtsilä Propulsion)
- Turnover from 1,5 to 4,3 Mill. EUR (2006), further growth expected

Preferred for Innovation


Nov-07

© 2006 Aker Yards

Slide 16



## Field work has been continued



Sakhalin, Kara Sea, Spitzbergen, Greenland, Hudson Bay

4-Nov-07

© 2006 Aker Yards

Slide 19

## Past experience and sufficient ice condition data available for reliable Design Basis

- § Sakhalin, 1990/1991/1992/1997/1998/2007
- § Barents Sea, 1991/1992/1993/2001/2005
- § Pechora Sea, 1992/1993/1994/1998/1999
- § Kara Sea, 1993/1995/2006/2007
- § Ob Bay, 1995/1996/1998/2000
- § Baltic, 1994/1995/1996/1997/1998/2003
- § Canada Arctic archipelago 2007
- § ARCDEV 98, the EU-funded trial trip by M/T "Uikku" to Tambey in April 1998
- § M/T "Uikku" Northern Sea Route passage as first foreign merchant vessel 1998

Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 20

aker yards.



## Full-scale experience, ships and ice conditions

§ BALTIC SEA, Scandinavia	100
§ LAKE SAIMAA, Finland	10
§ LAKE VÄNERN, Sweden	1
§ ARCTIC, Canada	12
§ ALASKA, USA	2
§ GREAT LAKES, USA	3
§ ANTARCTIC	5
§ ARCTIC, Russia	37
§ ARCTIC, Greenland, Spitzbergen	2
§ RIVERS, Russia	13
§ SAKHALIN, Russia	7
§ CASPIAN SEA, Kazakhstan	1


Picture: Aker Arctic DAS™ vessel "Pacific Endeavour" ice testing at Greenland

## New challenges met recently

Aker Arctic

### AKER ARCTIC PARTICIPATES IN RUSSIA'S PROGRAM FOR NEW NUCLEAR ICEBREAKERS - Record ice conditions created in the new AARC Technology Center

The new generation icebreaker is set to break 2.85 m thick level ice with the power of 60MW. The performance of the tests was very challenging. The scale of the Russian built models resulted to extreme ice thickness in the basin. However, it was noted that the thickness model ice thickness 84mm was reached with no difficulty even in summer outside temperatures. It was also noted that ice thickness well over 100 mm is reachable. AARC is currently operating its third ice. Later this fall Aker Arctic will take on again new testing challenges as model tests in multiyear ice conditions will be simulated.



Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 22

aker  
yards.

## Offshore is an important part of Aker Arctic's operations



Ice rubble formation on gravity based structures (D-6, Prirazlomnoye, SSDC) and a SPAR.




4-Nov-07

© 2006 Aker Yards

Slide 23

## Future needs for ice model tests in offshore activities

- § The mission based approach in concept devevelopment call for model testing to set the performance requirements
- § New types of activities in offshore operations lead to unkown phenomena, which need to be studied with model tests



Preferred for Innovation

4-Nov-07

© 2006 Aker Yards


Slide 24

## The opportunity 25% of world's undiscovered resource in the Arctic


Aker Arctic

\*USGS study

### Gas




### Oil & NGL



Preferred for Innovation

Nov-07


© 2006 Aker Yards



Aker Arctic

## While the market was "dead", important developments took place

- the recent developments for cost efficient Arctic navigation by Aker Arctic



Preferred for Innovation

Nov-07



© 2006 Aker Yards

Slide 26



## Electric propeller turning 360 degrees and to give full thrust to any direction

Aker Arctic



aker  
yards.

This turned out to become later Azipod®

Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 27

## The new propulsion system development and the "Uikku" conversion in 1993

Aker Arctic




4-Nov-07

© 2006 Aker Yards

Slide 28

After 10 years of Arctic pioneering work Aker Arctic  
 “Uikku” and “Lunni” are today back in the Arctic  
 waters, as “Varzuga” and “Indiga” by MSCO



Today 15 years of Arctic  
 experience for pod drives



Preferred for Innovation

4-Nov-07


© 2006 Aker Yards

Slide 29

## Aker Arctic DAS™: Innovation by experience

Aker Arctic

- § Excellent performance
- § Successful running backwards  
 when moving ahead was impossible
- § Learned a new way of operation
- § Ridge destruction with the propeller
- § Best performance in most difficult  
 conditions
- § Ice resistance down to 50 %
- § Power requirements down to 60 %



Preferred for Innovation

4-Nov-07


© 2006 Aker Yards

Slide 30

## Learning by experience: Propeller acts as a big pump to flush the hull

The idea of "double-acting" vessels is based on azimuthing thrusters flushing the hull by the propeller stream.

In level ice, frozen channels, rubble fields and ridges the propeller flushes the lower ice pieces and "eats up" the ice rubble.



"Aker Arctic DAS™"

Preferred for Innovation

Nov-07

© 2006 Aker Yards

Slide 31

## First double-acting IBSSV's in the North-Caspian, 9 years in service



The Wagenborg "Aker Arctic DAS™" double-acting icebreaking supply vessels working for AGIP KCO (Kashagan East)

Main dimensions: 65 x 16,4 x 2,9 m

Power 2 x 1,6 MW

icebreaking capacity max. 1,0 m level ice

Penetration through grounded ridges



Nov-07


© 2006 Aker Yards

Slide 32



Aker Arctic

## Excellent performance in any conditions



**Aker Arctic DAS™  
in Great Lakes by USCG**



Nov-07

© 2006 Aker Yards

Slide 33

## Aker leads the way for the maritime industry today

Aker Arctic

**Norilsk Nickel 5 vessels  
2006-2009**



**Sakhalin 1 & 2 projects, all new  
icebreakers delivered by Aker Yards**

Preferred for Innovation

Nov-07

© 2006 Aker Yards

**World's first Arctic oil export systems:  
Aker Yards' DAS concept selected 2007/9**




**2 x 70 ktdw shuttles Admiralty/Gazprom  
3 x 70 ktdw shuttles Samsung/LUKoil,COP  
2 x 105 ktdw shuttles Sumitomo/Neste Oil**



Slide 34

Aker Arctic

"Double-acting" concept thoroughly selected by Exxon



4-Nov-07

© 2006 Aker Yards

Slide 35

Double-acting performance

Aker Arctic

### FESCO SAKHALIN

- § SUPPLY AND STAND-BY SUPPORT FOR ORLAN PLATFORM
- § DNV ICEBREAKER-ICE-10
- § LOA = 99.9 m
- § B = 21.0 m
- § T = 7.5 m
- § DWT = 4 298 T
- § GT = 6 882
- § MCR = 17 400 kW
- § 2 \* 6 500 kW ABB Azipod



Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 36

aker  
yards.

## All Sakhalin newbuildings from Aker, all Aker Arctic model tested by us

### AY recently built Ice Classed OSV's

- § Fesco Sakhalin
- § Polar Pevek
- § Pacific Endeavour
- § Pacific Endurance
- § Pacific Enterprise



Pre

4-Nov-07

© 2006 Aker Yards


Slide 37

## Polar Pevek for De Kastri terminal

Aker Arctic

### POLAR PEVEK

- § TANKER ASSISTANCE IN THE DE-KASTRI TERMINAL
- § DNV ICEBREAKER ICE-10
- § LOA = 74.3 m
- § B = 17.0 m
- § T = 6.1 m
- § DWT = 940 T
- § GT = 3 396
- § MCR = 11 000 kW
- § 2 \* ABB Azipod



Picture by Harald Valderhaug

aker  
yards.

Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 38



## Recent Ice Class OSV's

Aker Arctic

### PACIFIC ENDEAVOUR

- § FIRST OF THREE IB PSV's FOR SAKHALIN 2 (SHELL)
- § DNV ICEBREAKER ICE-10
- § LOA = 91.5 m
- § B = 19.0 m
- § T = 8.2 m
- § DWT = 4 482
- § GT = 4 992
- § MCR = 17 280 kW
- § 2 \* 7 000 kW RRM Aquamaster ARC 1.0



Pictures from Swiss Pacific Web-site

4-Nov-07

© 2006 Aker Yards

Slide 39

## Another Aker Yards built icebreaker, tested in model scale and full scale by Aker Arctic in Greenland and Spitzbergen

Aker Arctic

- § Three UT 758 IBPSV's for Sakhalin 2 project
- § Delivered in April-October 2006
- § Built by Aker Yards AS, Søviknes and Langsten, Norway
- § Two 7,5 MW mechanical azimuthing thrusters
- § Aker Arctic DAS™



4-Nov-07

© 2006 Aker Yards

Slide 40

Our ultimate goal: cost efficient volume transports in Arctic

Aker Arctic



4-Nov-07

© 2006 Aker Yards

Slide 41

"Tempera" commissioned in winter 2003

Aker Arctic



4-Nov-07

© 2006 Aker Yards

Slide 42

Aker Arctic

## M/T Tempera now five years in service



Ice performance verified in practical work in the Primorsk export shuttle service.

Full scale trials in 2003:

- level ice 80 cm at 5,0 kn
- broken channels 7 knots
- ice ridges (4 metres) at 3 knots
- maximum ridge penetration 13 metres (maximum) found in the region)



Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 43

Aker Arctic

## "Norilskiy Nickel" in Kara Sea, March 2006

Delivered after succesful ice trials on April 12th, 2006. Vessel currently in regular trade from Murmansk to Dudinka in the Kara Sea, proving her capability in year-round independent operation. Ice class L100.



4-Nov-07

© 2006 Aker Yards

Slide 44



## Proven ice performance lead to a contract for four more vessels under a licence from Aker Arctic

Aker Arctic

- § Ice condition: level ice 1.5 m, strength 700-800kPa
- Power: 13 MW
- Speed Astern: 1.75 m/s (3,3 kn), Ahead 1.25 m/s (2,3 kn) (model tests: 1.02, 0.85 m/s)
- § Power needed to break 1.5 m thick ice in 2 knots: Astern 8.5 MW, Ahead 11.5 M
- § Speed in frozen Yenisey channel with 13 MW: Ahead 3.75 m/s (7.5 knots)
- § Speed in unfrozen Yenisey channel with 13 MW: 4.5 m/s (9 knots)
- § Speed in own 1.5 m thick unfrozen channel with 5 MW: Ahead 4.5 m/s (8.9kn), Astern 4.25m/s (8.5 kn)
- § Speed in own 1.5 m thick unfrozen channel with 12 MW: Ahead 7 m/s (14.3kn)
- § Average speed in frozen rubble field running astern for 5 miles was 1 knot (no chance to run ahead)



Aker Arctic DAS™

Preferred for Innovation

Nov-07

© 2006 Aker Yards

Slide 45

## Aker Arctic transport solution already selected for two major Arctic oil projects - Prirazlomnoye

Aker Arctic



- § **Width** 126 m
- § **Length** 126 m
- § **Height from the sea level** 120 m
- § **Weight**(without hard ballast) 110 000 t  
(with hard ballast) 506 000 t
- § **Well slots** 40
- § **Total caisson capacity** 159 890 m3
- § **Oil Tank Capacity** 108 814 m3
- § **Maximum daily production** 20 748 m3
- § **Staff** 200 people
- § **Stock replenishment period** 60 days
- § **Life time** 25 years

aker  
yards.

Nov-07

© 2006 Aker Yards

Slide 46

## Aker Arctic 70.000 tdw shuttle tankers for Pechora Sea

Aker Arctic

Prirazlomnoye; Admiralty yard, Owner Sovkomflot with a COA with Sevmorneftegaz



Aker Arctic contract for the Basic Design with Admiralty yard. Two ships to enter serviced in 2009

Preferred for Innovation

4-Nov-07


© 2006 Aker Yards



Slide 47

## Prirazlomnoye Shuttle tanker

Aker Arctic



- Dual Class

- Ice class

- Length o.a.

- Beam

- Depth

- Draught

- Deadweight

- Propulsion power

Russian Register  
Lloyds Register

LU 6

258,75 m

34,0 m

20,8 m

13,6 m

70 000 t

17 MW

- Basic Design

- Builder

- Owner

- Keel laying

- Delivery

- Icebreaking capability

AARC

Admiralty Shipyard

SOVCOMFLOT/SMNG

Summer 2007

End 2009

1.2 m+0.2m

snow, 3 kts

Preferred for Innovation

4-Nov-07

© 2006 Aker Yards



Slide 48



## Prirazlomnoye Shuttle tanker, Machinery

Aker Arctic

- Diesel generator sets: 4 x 6525 kW
- Propulsion Azipods: 2 x 8,5 MW



aker  
yards.

Preferred for Innovation

Nov-07

© 2006 Aker Yards

Slide 49

## New solutions in Arctic oil exports systems: LUKOil/ConocoPhillips in Varandei, developed by Aker Arctic

Aker Arctic



Nov-07

© 2006 Aker Yards

Slide 50



## Sovcomflot contract for three 70.000 tdw vessels with Samsung, deliveries 2007-2009

Aker Arctic

- § Another Aker Arctic DAS™ design concept
- § World's first marine Arctic Oil Export system
- § In service December 2007
- § Final design with twin 2 x 10 MW pod drives, ice class LU6
- § Vessel unit price 138 M USD




© 2006 Aker Yards

## Drilling ship leads the way to icy operations in Alaska

Aker Arctic

Shell has initiated a drilling campaign in Alaska for 2007-2009 – the first since mid 1980's. All the solutions developed and used for this Beaufort Sea operation are based on Aker Arctic's engagement and solutions. Drillship "Frontier Discoverer" of Frontier Drilling USA Inc, Houston, is the first drilling vessel created for Arctic conditions.

Three of the icebreakers used for ice management in this drilling campaign are built by Aker Yards.




4-Nov-07

© 2006 Aker Yards

Slide 52

Multipurpose Icebreakers "Fennica" and "Nordica" will provide ice management for the Shell drilling campaign

Aker Arctic



Nov-07

© 2006 Aker Yards

Slide 53

LNG transports from Yamal are possible

Aker Arctic



## Kara Sea ice massif

### Ice thickness at Kharasevey





Fig. 3.1. Ice thickness growth near the polar station Kharasevey in 1976 - 1977



Nov-07

© 2006 Aker Yards

Slide 55

## Aker Arctic LNG

## Aker Arctic



### Open water Mode:

The vessel will operate in the open water conditions as the normal tankers.

Podded propulsion provides good open water efficiency and easy arrangement of general spaces.

### Ice operating Mode:

The vessel will operate stern ahead with pulling propellers.

Very good ice breaking capability can be achieved with normal open water propulsion power.



Preferred for Innovation


Nov-07

© 2006 Aker Yards

Slide 56



## Double Acting Arctic LNG

**Main Dimensions**

Loa	340 m
Lpp	324.90 m
Breadth, moulded	50.00 m
Depth	22.90 m
Design draught	12.00 m
Deadweight design	abt. 92,650 t
Scantling draught	12.7 m
Deadweight scantling	abt. 95,800 t
Gross tonnage	abt. 133,000
Cargo capacity	206,000 m <sup>3</sup>
Speed design draught	19.5 kn
Ice breaking performance @ 5 knots	astern: 1.5m / ahead: 70cm
Radius of action	abt. 13,000 nm

**Class**

LR+100A1, Liquefied Gas Carrier, Ship Type 2G (Methane in independent tanks, Type B, Max. pressure 0.25 kg/cm2, Min. temperature -163°C) *IWS, +LMC, UMS, NAV1, IBS, SCM, LI, Ship Right (SDA, FDA, CM), ICC, TCM	
Deep well pumps tanks	
155 m.l.c	10 x 1,600 m3/h
Boil off rate	0.15%
Combined cargo heater/ vaporizer	
Inert gas/venting plant	
Bow thruster	abt. 2,000 kW

**Machinery**

diesel electric propulsion, 2 x Azipod: Output	2 x 18,000 kW
Diesel generator aggregates dual fuel total	abt. 46,000 kW
Fuel consumption	7.3t/h
Integrated automation system	
Voltages for main consumers	11kV/6.6kV, 450/230V, 60Hz
Water/CO <sub>2</sub> /powder fire fighting system	
Accommodation	
Crew cabins incl. Pilot	49 pers.



© 2006 Aker Yards

© 2006 Aker Yards

## Verified performance for Kara Sea

**Level ice test results astern****170cm 4.9 knots****150cm 5.4 knot****Ridged ice astern****11-14m 0.8 knots**

**Heavy ice conditions can be penetrated with the same power level in the engines as are needed for the open water trade!**



4-Nov-07

Slide 58

© 2006 Aker Yards

## The real potential is in LNG trades with Arctic DAS carriers

Aker Arctic

Yamal – Europe/U.S. Gulf of Mexico



We have three major ongoing R & D projects:

- for developing large size Arctic pod drives, with CNIIMF, KSRI and RMRS
- for measuring thruster loads in order to find right dimensioning basis in the future
- for developing contra rotating propeller solutions

-We are working also in projects related to LNG fuel and fuel cells in Arctic, and on ice induced vibrations and impacts to the gas containment system


4-Nov-07

© 2006 Aker Yards

Slide 59

## Ice Coverage Predictions 2000-2100

Aker Arctic



Preferred for Innovation

4-Nov-07

© 2006 Aker Yards


Slide 60

aker  
yards.

## The Northern Sea Route (NSR) versus Suez Canal Route (SCR)

Aker Arctic

Hamburg - Yokohama



NSR = 6,920 sm

SCR = 11,430 sm



Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 61


## Study for the Institute of the North: Trans-polar Containership

Aker Arctic

LENGTH OA 281.3 M  
LENGTH DWL 269.9 M  
BEAM 34.6 M  
DEPTH 21.9 M  
DRAUGHT DWL 13.5 M  
CAPACITY 5011 TEU

The "Norilskiy Nickel" experience has led one step closer to efficient trans-polar cargo liners in "economy-of-scale" sizes.

A feasibility study was conducted for US Government  
2 x 17 MW pod drives,  
Transit time  
Alaska-Europe  
11 days (summer),  
20 days (winter)



Preferred for Innovation


4-Nov-07

© 2006 Aker Yards

Slide 62



## Arctic Tanker Loading – one alternative solution



## The next need: Ice-going research vessel, capable of working in ice-covered waters

- bow thrusters secure the efficient and stable speed in ice conditions
- model test results confirm good propulsion efficiency for bow propellers
- no disturbing propulsion noises into the scientific system




- wide stern secures efficient seismic work
- hull form developed to leave a wide open channel behind the vessel
- no propellers to disturb the seismic work

## Air bubbling used as noise barrier to isolate from propeller and ice breaking noise

Aker Arctic

System tested on "Ryabinkin" class geophysical research vessels



The Aker Arctic wide-stern seismic icebreaker with bow propulsion and an air bubbling noise barrier for work in Arctic environment. Aker Arctic has unique measurement data on underwater noise caused by e.g. the icebreaking itself. A related important study was conducted recently to an Owner wanting so far to be anonymous.

aker yards.

4-Nov-07


© 2006 Aker Yards

Slide 65

## Winter is our challenge in oil spill risks

Aker Arctic

Difficult access through the archipelago and ice ridges





Gulf of Finland with the location of the Primorsk terminal and prevailing winter ice conditions.

A long-term statistical analysis of the ice conditions for the Primorsk terminal.

K.Riska

	Average ice coverage (days)	Average (maximum) ice thickness
Primorsk	140	50 (90)cm
St. Petersburg	145	55 (90)cm
Porvoo	110	40 (89)cm
Tallin	90	35 (85)cm



aker yards.

4-Nov-07

© 2006 Aker Yards

Slide 66

Port of Primorsk, 160 Mill tons/year

Aker Arctic



IMO notified practice: Two icebreakers  
escorting minimum an IA ice class tanker

Aker Arctic



4-Nov-07

© 2006 Aker Yards

Slide 68



Safe and reliable

Aker Arctic



Referenced for innovation

4-Nov-07

© 2006 Aker Yards

Slide 69

But sometimes only one is available

Aker Arctic



Referenced for innovation

4-Nov-07

© 2006 Aker Yards

Slide 70

.. or not any available, the whole convoy  
drifting on terms of the weakest

Aker Arctic




4-Nov-07

© 2006 Aker Yards

Slide 71

Larger vessels are introduced,  
B-Maxes exceeding 200 000 tdw

Aker Arctic




4-Nov-07

© 2006 Aker Yards

Slide 72

# Total ship calls in Russian ports in the Gulf of Finland during winter navigations of 2002-2006

Aker Arctic




4-Nov-07

© 2006 Aker Yards

Slide 73

# Number of port calls in Russian ports of Primorsk, Vyborg, Vysotsk and Ust – Luga during winter navigations of 2002 – 2006

Aker Arctic



Preferred for Innovation

4-Nov-07

© 2006 Aker Yards


Slide 74

aker yards.




## Total cargo turn-over of all Russian ports in the Gulf of Finland during winter navigations from 2002 to 2006

Aker Arctic




## Gulf of Finland examples, February 2003

Aker Arctic



## Shallow waters, many turns

Aker Arctic



## Oil spills, not if but when?

Aker Arctic



Case "Runner", just fuel  
not cargo oil



Preferred for Innovation

Nov-07

© 2006 Aker Yards

Slide 78

## Typical platform, ORLAN in Sakhalin

Aker Arctic




Nov-07

© 2006 Aker Yards

Slide 79

## "FESCO SAKHALIN" for Sakhalin 1 (Exxon)

Aker Arctic



Nov-07

© 2006 Aker Yards

Slide 80




Aker Arctic



© 2006 Aker Yards

Slide 81

## Aker Arctic



Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 82

## Another innovation – the oblique oil combating icebreaker for wide tankers

Aker Arctic

### Multipurpose oil combating icebreakers (oblique)


three functions in one small size hull

icebreaking by the side

one 40m wide channel, replaces two traditional icebreakers

oil combating in heavy ice conditions (ice cleaning vibrator)

excellent for escort towing



Preferred for Innovation



4-Nov-07

© 2006 Aker Yards

Slide 83

## Excellent added performance values

Aker Arctic



4-Nov-07

© 2006 Aker Yards

Slide 84

Why should a ship be symmetric?

Aker Arctic



Preferred for Innovation



4-Nov-07

© 2006 Aker Yards

Slide 85

New ice operation tools

Aker Arctic



4-Nov-07

© 2006 Aker Yards

Slide 86



## Icebreaking trimaran development for icebreaking and oil spill combat

Aker Arctic



A new innovative, patented solution for icebreaking will give an excellent basis for developing oil spill combat capabilities.

Looking for interested partners for a JIP for the practical concept development studies



Preferred for Innovation

Nov-07

© 2006 Aker Yards

Slide 87

Aker Arctic



**Creativity is our business**

Preferred for Innovation



Thank you!



Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 89

## Copyright

Copyright of all published material including photographs, drawings and images in this document remains vested in Aker Arctic and third party contributors as appropriate. Accordingly, neither the whole nor any part of this document shall be reproduced in any form nor used in any manner without express prior permission and applicable acknowledgements. No trademark, copyright or other notice shall be altered or removed from any reproduction



Preferred for Innovation

4-Nov-07

© 2006 Aker Yards

Slide 90